

YRBS 2017 Frequency Report

	Total (N = 1377)
School Participants Attend (Based on Collector ID)	
Central	393 (28.5%)
Commerce	229 (16.6%)
Duggan	23 (1.7%)
Putnam	377 (27.4%)
Renaissance	121 (8.8%)
Sci-Tech	168 (12.2%)
Springfield Conservatory	44 (3.2%)
Springfield High School	21 (1.55%)
Age of participants	
12 years old or younger	7 (0.5%)
13 years old	3 (0.2%)
14 years old	4 (0.3%)
15 years old	291 (21.3%)
16 years old	416 (30.5%)
17 years old	339 (24.8%)
18 years old or older	305 (22.3%)
.	12
Sex of participants	
Female	694 (51.0%)
Male	668 (49.0%)
.	15
Grade level of participants	
9th grade	7 (0.5%)
10th grade	749 (55.5%)
11th grade	84 (6.2%)
12th grade	504 (37.4%)
Ungraded or other grade	5 (0.4%)
.	28
Hispanic/Latino	
No	598 (43.4%)
Yes	779 (56.6%)
Black or African American	
No	1015 (77.8%)
Yes	290 (22.2%)
.	72

American Indian or Alaska Native		
No		1336 (99.4%)
Yes		8 (0.6%)
.		33
Asian		
No		1302 (95.5%)
Yes		61 (4.5%)
.		14
Native Hawaiian or Other Pacific Islander		
No		1359 (99.6%)
Yes		5 (0.4%)
.		13
White		
No		1120 (89.0%)
Yes		139 (11.0%)
.		118
Indicated multiple races (Non-Hispanic)		
No		1181 (85.8%)
Yes		196 (14.2%)
BMI Categories Accounting for Age (using zanthro package)		
Underweight		56 (4.9%)
Normal Weight		614 (53.6%)
Overweight		270 (23.6%)
Obese		205 (17.9%)
.		232
Where participant usually slept during past 30-days		
In parent or guardians home		1268 (95.7%)
In the home of a friend, family member, or other person due to having to leave own home because parent or guardian could not afford to stay		17 (1.3%)
In shelter or emergency housing		6 (0.5%)
In a car, park, campground, or other place		7 (0.5%)
I do not have a usual place to sleep		6 (0.5%)
Somewhere else		21 (1.6%)
.		52
Whether participant lived away from parents or guardians due to being kicked out, abandoned, and or running away during the past 30 days		
No		1261 (95.7%)
Yes		57 (4.3%)
.		59

Sexual orientation of participants

Heterosexual - Straight	1072 (81.8%)
Gay or Lesbian	41 (3.1%)
Bisexual	135 (10.3%)
Not sure	62 (4.7%)
.	67

Whether participant identifies as transgender

Yes	41 (3.2%)
No	1178 (91.0%)
Don't know	76 (5.9%)
.	82

LGBT? (trans or not heterosexual)

No	1086 (84.4%)
Yes	201 (15.6%)
.	90

Length of time participant has lived in the mainland United States

Less than 1 year	26 (2.0%)
1 to 3 years	78 (5.9%)
4 to 6 years	62 (4.7%)
More than 6 years but not whole life	177 (13.5%)
Entire life	970 (73.9%)
.	64

Where participant lived prior to moving to the mainland United States

Other	25 (10.6%)
Puerto Rico	194 (82.6%)
Iraq	7 (3.0%)
Syria	1 (0.4%)
Bhutan	3 (1.3%)
Somalia	5 (2.1%)
.	1142

Number of times participant rode in a car or other vehicle driven by someone who had been drinking alcohol in the past 30 days

0 times	1096 (83.7%)
1 time	63 (4.8%)
2 or 3 times	67 (5.1%)
4 or 5 times	13 (1.0%)
6 or more times	70 (5.3%)
.	68

Number of times participant drove a car or other vehicle after drinking alcohol in the past 30 days

Did not drive a car or other vehicle	630 (48.3%)
0 times	634 (48.6%)
1 time	14 (1.1%)
2 or 3 times	5 (0.4%)
4 or 5 times	1 (0.1%)
6 or more times	21 (1.6%)
.	72

Number of times participant drove a car or other vehicle after drinking marijuana in the past 30 days

Did not drive a car or other vehicle	604 (46.7%)
0 times	594 (46.0%)
1 time	20 (1.5%)
2 or 3 times	24 (1.9%)
4 or 5 times	5 (0.4%)
6 or more times	45 (3.5%)
.	85

Number of days participants texted or emailed while driving a car or other vehicle in past 30 days

Did not drive a car or other vehicle	643 (49.4%)
0 days	553 (42.5%)
1 or 2 days	27 (2.1%)
3 to 5 days	14 (1.1%)
6 to 9 days	10 (0.8%)
10 to 19 days	6 (0.5%)
20 to 29 days	5 (0.4%)
All 30 days	43 (3.3%)
.	76

Number of days participants talked on the phone while driving during past 30-days

Did not drive a car or other vehicle	656 (50.4%)
0 days	515 (39.6%)
1 or 2 days	47 (3.6%)
3 to 5 days	21 (1.6%)
6 to 9 days	10 (0.8%)
10 to 19 days	14 (1.1%)
20 to 29 days	10 (0.8%)
All 30 days	28 (2.2%)
.	76

Number of days participants carried a weapon (knife, gun, club) in past 30 days

0 days	1180 (90.8%)
1 day	26 (2.0%)
2 or 3 days	30 (2.3%)
4 or 5 days	11 (0.8%)
6 or more days	53 (4.1%)
.	77

Number of days participants carried a weapon (knife, gun, club) in past 30 days on school property

0 days	1344 (97.6%)
1 day	5 (0.4%)
2 or 3 days	6 (0.4%)
4 or 5 days	3 (0.2%)
6 or more days	19 (1.4%)

Whether or not participants who carried a weapon to school in past 30 days did so at school

No	1344 (97.6%)
Yes	33 (2.4%)

Number of days participant carried a gun during the past 12 months

0 times	1249 (96.7%)
1 time	12 (0.9%)
2 or 3 times	5 (0.4%)
4 or 5 times	7 (0.5%)
6 or more times	19 (1.5%)
.	85

Number of days participants did not go to school due to feeling unsafe

0 days	1190 (92.4%)
1 day	36 (2.8%)
2 or 3 days	35 (2.7%)
4 or 5 days	5 (0.4%)
6 or more days	22 (1.7%)
.	89

Number of times participants have been threatened or injured with a weapon (knife, gun, club) on school property during the past 12 months

0 times	1220 (94.6%)
1 times	31 (2.4%)
2 or 3 times	17 (1.3%)
4 or 5 times	5 (0.4%)
6 or 7 times	4 (0.3%)
8 or 9 times	1 (0.1%)
10 or 11 times	1 (0.1%)
12 or more times	11 (0.9%)
.	87

Number of times participants were in a physical fight during the past 12 months

0 times	1049 (81.5%)
1 times	115 (8.9%)
2 or 3 times	63 (4.9%)
4 or 5 times	18 (1.4%)
6 or 7 times	11 (0.9%)
8 or 9 times	2 (0.2%)
10 or 11 times	1 (0.1%)
12 or more times	28 (2.2%)
.	90

Number of times participants were in a physical fight on school property during the past 12 months

0 times	1256 (91.2%)
1 times	70 (5.1%)
2 or 3 times	23 (1.7%)
4 or 5 times	8 (0.6%)
6 or 7 times	2 (0.1%)
8 or 9 times	1 (0.1%)
10 or 11 times	2 (0.1%)
12 or more times	15 (1.1%)

Whether or not participants have been a member of a gang in past 12 months

No	1233 (95.6%)
Yes	57 (4.4%)
.	87

Whether or not participants have been forced to have sexual intercourse against their will

No	1193 (93.5%)
Yes	83 (6.5%)
.	101

Number of times participants were forced to do sexual things against their will by anyone during past 12 months

0 times	1190 (93.3%)
1 time	36 (2.8%)
2 or 3 times	19 (1.5%)
4 or 5 times	7 (0.5%)
6 or more times	23 (1.8%)
.	102

Number of times participants were forced to sexual things by someone they were dating during past 12 months

Did not date anyone in past 12 months	385 (30.2%)
0 times	825 (64.7%)
1 time	29 (2.3%)
2 or 3 times	12 (0.9%)
4 or 5 times	6 (0.5%)
6 or more times	19 (1.5%)
.	101

Number of times participants were subject to physical harm from a person they were dating during past 12 months

Did not date anyone in past 12 months	371 (29.1%)
0 times	834 (65.4%)
1 time	30 (2.4%)
2 or 3 times	16 (1.3%)
4 or 5 times	7 (0.5%)
6 or more times	17 (1.3%)
.	102

Whether or not participants were bullied on school property during past 12 months

No	1142 (88.7%)
Yes	145 (11.3%)
.	90

Whether or not participants were electronically bullied during past 12 months

No	1174 (91.4%)
Yes	110 (8.6%)
.	93

Number of times intentionally hurting self in past 12 months

0 times	1112 (87.2%)
1 time	55 (4.3%)
2 or 3 times	58 (4.5%)
4 or 5 times	11 (0.9%)
6 or more times	39 (3.1%)
.	102
Whether participant felt sad or hopeless every day for two weeks or more / stopped doing normal activities	
No	903 (71.0%)
Yes	369 (29.0%)
.	105
Whether participant seriously contemplated suicide during past 12 months	
No	1130 (89.8%)
Yes	129 (10.2%)
.	118
Whether participant made a plan about how to commit suicide during past 12 months	
No	1160 (91.7%)
Yes	105 (8.3%)
.	112
Number of times participant attempted to commit suicide during past 12 months	
0 times	1189 (93.7%)
1 time	29 (2.3%)
2 or 3 times	28 (2.2%)
4 or 5 times	5 (0.4%)
6 or more times	18 (1.4%)
.	108
Whether suicide attempt resulted in injury	
No	59 (68.6%)
Yes	27 (31.4%)
.	1291
Whether participant has ever smoked a cigarette	
No	1076 (84.4%)
Yes	199 (15.6%)
.	102
Age at first cigarette	
8 years old or younger	19 (9.5%)
9 or 10 years old	20 (10.0%)
11 or 12 years old	44 (22.0%)
13 or 14 years old	51 (25.5%)
15 or 16 years old	43 (21.5%)

17 years old	23 (11.5%)
.	1177

Number of days smoking cigarettes during past 30 days

0 days	1329 (96.5%)
1 or 2 days	21 (1.5%)
3 to 5 days	6 (0.4%)
10 to 19 days	4 (0.3%)
20 to 29 days	4 (0.3%)
All 30 days	13 (0.9%)

Ever used electronic vapor product

No	911 (72.4%)
Yes	348 (27.6%)
.	118

Number of days using electronic vapor product during past 30 days

0 days	240 (65.6%)
1 or 2 days	68 (18.6%)
3 to 5 days	25 (6.8%)
6 to 9 days	12 (3.3%)
10 to 19 days	5 (1.4%)
20 to 29 days	3 (0.8%)
All 30 days	13 (3.6%)
.	1011

Number of days using chewing tobacco or other related products during past 30 days

0 days	1239 (97.9%)
1 or 2 days	5 (0.4%)
3 to 5 days	5 (0.4%)
6 to 9 days	1 (0.1%)
10 to 19 days	1 (0.1%)
20 to 29 days	2 (0.2%)
All 30 days	12 (0.9%)
.	112

Number of days using cigars during past 30 days

0 days	1216 (96.4%)
1 or 2 days	15 (1.2%)
3 to 5 days	5 (0.4%)
6 to 9 days	3 (0.2%)
10 to 19 days	4 (0.3%)
20 to 29 days	3 (0.2%)

All 30 days	15 (1.2%)
.	116

Number of days during life having at least one drink of alcohol

0 days	658 (52.4%)
1 or 2 days	240 (19.1%)
3 to 9 days	130 (10.4%)
10 to 19 days	82 (6.5%)
20 to 39 days	54 (4.3%)
40 to 99 days	34 (2.7%)
100 or more days	58 (4.6%)
.	121

Number of days having at least one drink of alcohol during past 30 days

0 days	315 (51.6%)
1 or 2 days	183 (30.0%)
3 to 5 days	52 (8.5%)
6 to 9 days	21 (3.4%)
10 to 19 days	17 (2.8%)
20 to 29 days	3 (0.5%)
All 30 days	19 (3.1%)
.	767

Number of days having at least one drink of alcohol on school property

0 days	266 (90.8%)
1 or 2 days	10 (3.4%)
3 to 5 days	3 (1.0%)
10 to 19 days	4 (1.4%)
20 to 29 days	1 (0.3%)
All 30 days	9 (3.1%)
.	1084

Number of days engaging in binge drinking during past 30 days

0 days	202 (67.1%)
1 day	31 (10.3%)
2 days	23 (7.6%)
3 to 5 days	19 (6.3%)
6 to 9 days	5 (1.7%)
10 to 19 days	10 (3.3%)
20 or more days	11 (3.7%)

.	1076
Number of days smoking cigarettes during past 30 days	
0 days	788 (62.7%)
1 or 2 days	114 (9.1%)
3 to 5 days	108 (8.6%)
6 to 9 days	64 (5.1%)
10 to 19 days	43 (3.4%)
20 to 29 days	40 (3.2%)
All 30 days	100 (8.0%)
.	120
Number of days smoking cigarettes during past 30 days	
8 years old or younger	15 (3.2%)
9 or 10 years old	13 (2.8%)
11 or 12 years old	69 (14.7%)
13 or 14 years old	143 (30.4%)
15 or 16 years old	175 (37.2%)
17 years old	55 (11.7%)
.	907
Number of times using marijuana in past 30 days	
0 times	220 (46.4%)
1 or 2 times	92 (19.4%)
3 to 9 times	48 (10.1%)
10 to 19 times	34 (7.2%)
20 to 39 times	27 (5.7%)
40 or more times	53 (11.2%)
.	903
Number of times using marijuana on school property during past 30 days	
0 times	198 (78.3%)
1 or 2 times	19 (7.5%)
3 to 9 times	14 (5.5%)
10 to 19 times	6 (2.4%)
20 to 39 times	4 (1.6%)
40 or more times	12 (4.7%)
.	1124
How parents or guardians would feels if participant smoked marijuana	
Approve	57 (4.6%)
Would not care	97 (7.8%)
Disapprove	857 (68.9%)
Not sure	233 (18.7%)
.	133

Number of times using any form of cocaine during life	
0 times	1219 (97.8%)
1 or 2 times	10 (0.8%)
3 to 9 times	1 (0.1%)

Number of times using any form of cocaine during life (cont.)	
20 to 39 times	3 (0.2%)
40 or more times	13 (1.0%)
.	131

Number of times huffing during past 30 days	
0 times	1206 (97.2%)
1 or 2 times	15 (1.2%)
3 to 9 times	3 (0.2%)
10 to 19 times	3 (0.2%)
20 to 39 times	1 (0.1%)
40 or more times	13 (1.0%)
.	136

Number of times using heroin during life	
0 times	1221 (98.1%)
1 or 2 times	8 (0.6%)
3 to 9 times	4 (0.3%)
20 to 39 times	2 (0.2%)
40 or more times	10 (0.8%)
.	132

Number of times using methamphetamines during life	
0 times	1222 (98.1%)
1 or 2 times	6 (0.5%)
3 to 9 times	4 (0.3%)
10 to 19 times	2 (0.2%)
20 to 39 times	1 (0.1%)
40 or more times	11 (0.9%)
.	131

Number of times using ecstasy during life	
0 times	1212 (97.6%)
1 or 2 times	9 (0.7%)
3 to 9 times	4 (0.3%)
10 to 19 times	1 (0.1%)
20 to 39 times	1 (0.1%)
40 or more times	15 (1.2%)
.	135

Life time use of hard drugs (cocaine, heroin, meth, ecst, rx)	
No	1026 (84.0%)
Yes	195 (16.0%)

.	156
Number of times using synthetic marijuana during life	
0 times	1179 (95.2%)
1 or 2 times	25 (2.0%)
3 to 9 times	9 (0.7%)
10 to 19 times	7 (0.6%)
20 to 39 times	2 (0.2%)
40 or more times	16 (1.3%)
.	139
Whether anyone has offered sold, or given drugs on school property during past 12 months	
No	1105 (89.8%)
Yes	125 (10.2%)
.	147
Whether participant has taken prescription drugs that are not his or her own during life	
No	1064 (86.4%)
Yes	167 (13.6%)
.	146
Whether participant has taken prescription narcotics that were not their own during life	
No	1330 (96.6%)
Yes	47 (3.4%)
Whether participant has taken prescription ritalin that was not their own during life	
No	1354 (98.3%)
Yes	23 (1.7%)
Whether participant has taken prescription steroids that were not their own during life	
No	1363 (99.0%)
Yes	14 (1.0%)
Whether participant has taken other prescription drugs that were not their own during life	
No	1272 (92.4%)
Yes	105 (7.6%)
Whether participant has taken prescription drugs that were not their own during past 30 days	
No	1322 (96.0%)
Yes	55 (4.0%)
Whether participant has taken prescription narcotics that were not their own during past 30 days	
No	1355 (98.4%)
Yes	22 (1.6%)

Whether participant has taken prescription Ritalin that was not their own during past 30 days

No	1364 (99.1%)
Yes	13 (0.9%)

Whether participant has taken prescription steroids that were not their own during life

No	1367 (99.3%)
Yes	10 (0.7%)

Whether participant has taken other prescription drugs that were not their own during life

No	1347 (97.8%)
Yes	30 (2.2%)

Ever had sexual intercourse

No	708 (57.9%)
Yes	515 (42.1%)
.	154

Age at first sexual intercourse

11 years old or younger	31 (5.9%)
12 years old	25 (4.8%)
13 years old	53 (10.1%)
14 years old	88 (16.8%)
15 years old	158 (30.2%)
16 years old	96 (18.4%)
17 years old	72 (13.8%)
.	854

Number of people participant has had sexual intercourse with during life

1 person	237 (45.6%)
2 people	101 (19.4%)
3 people	74 (14.2%)
4 people	35 (6.7%)
5 people	13 (2.5%)
6 or more people	60 (11.5%)
.	857

Number of people participants have had sexual intercourse with during past 3 months

Have had sexual intercourse, but not during past 3 months	168 (32.3%)
1 person	291 (56.0%)
2 people	24 (4.6%)
3 people	8 (1.5%)
4 people	8 (1.5%)
5 people	1 (0.2%)
6 or more people	20 (3.8%)
.	857

Whether alcohol or drugs were used before the last time participant had sexual intercourse

No	449 (85.5%)
Yes	76 (14.5%)
.	852

Whether condom was used the last time participant had sexual intercourse

No	217 (43.1%)
Yes	286 (56.9%)
.	874

Method used to prevent pregnancy last time participant had sexual intercourse

Have never had sexual intercourse	12 (2.4%)
Did not use any method of birth control	78 (15.5%)
Birth control pills	64 (12.7%)
Condoms	221 (44.0%)
IUD	41 (8.2%)
Shot, patch, or birth control ring	23 (4.6%)
Withdrawal or other method	38 (7.6%)
Not sure	25 (5.0%)
.	875

Number of times being pregnant or getting someone pregnant

0 times	1330 (96.6%)
1 time	23 (1.7%)
2 or more times	10 (0.7%)
Not sure	14 (1.0%)

How participant describes weight

Very underweight	35 (2.9%)
Slightly underweight	114 (9.4%)
About the right weight	645 (53.2%)
Slightly overweight	335 (27.6%)
Very overweight	83 (6.8%)

.	165 (13.6%)
What participant is trying to do about weight	
Lose weight	546 (45.0%)
Gain weight	254 (20.9%)
Maintain weight	215 (17.7%)
Nothing	199 (16.4%)
.	163
Number of times drinking 100% fruit juice during past 7 days	
Zero times	218 (18.3%)
1 to 3 times	411 (34.5%)
4 to 6 times	215 (18.0%)
1 time per day	88 (7.4%)
2 times per day	86 (7.2%)
3 times per day	61 (5.1%)
4 or more times per day	114 (9.6%)
.	184
Number of times eating fruit during past 7 days	
Zero times	158 (13.2%)
1 to 3 times	422 (35.4%)
4 to 6 times	206 (17.3%)
1 time per day	123 (10.3%)
2 times per day	128 (10.7%)
3 times per day	60 (5.0%)
4 or more times per day	96 (8.0%)
.	184
Number of times eating vegetables during past 7 days	
Zero times	285 (23.9%)
1 to 3 times	421 (35.3%)
4 to 6 times	208 (17.5%)
1 time per day	135 (11.3%)
2 times per day	63 (5.3%)
3 times per day	79 (6.6%)
.	186
Where vegetables are usually eaten	
Other	79 (6.8%)
Only at home	576 (49.6%)
Only at school	33 (2.8%)
At both home and school	473 (40.7%)
.	216
Number of times drinking soda during past 7 days	
Zero times	292 (24.6%)
1 to 3 times	458 (38.6%)

4 to 6 times	161 (13.6%)
1 time per day	93 (7.8%)
2 times per day	68 (5.7%)
3 times per day	33 (2.8%)
4 or more times per day	81 (6.8%)
.	191

Number of days eating breakfast during past 7 days

0 days	128 (10.7%)
1 day	72 (6.0%)
2 days	138 (11.6%)
3 days	130 (10.9%)
4 days	92 (7.7%)
5 days	112 (9.4%)
6 days	58 (4.9%)
7 days	462 (38.8%)
.	185

Whether respondent participates in breakfast in the classroom

Yes	555 (47.0%)
No	525 (44.4%)
Not Sure	102 (8.6%)
.	195

Number of days being physically active for at least 60 minutes during past 7 days

0 days	241 (20.9%)
1 day	88 (7.6%)
2 days	132 (11.5%)
3 days	123 (10.7%)
4 days	102 (8.9%)
5 days	148 (12.8%)
6 days	39 (3.4%)
7 days	279 (24.2%)
.	225

Number of hours spent each day playing video or computer games

Do not play video or computer games	187 (16.1%)
Less than 1 hour per day	120 (10.4%)
1 hour per day	92 (7.9%)
2 hours per day	165 (14.2%)
3 hours per day	162 (14.0%)
4 hours per day	96 (8.3%)
5 hours or more per day	336 (29.0%)
.	219

Number of days attending PE class during an average school week

0 days	335 (29.2%)
1 day	19 (1.7%)
2 days	47 (4.1%)
3 days	68 (5.9%)
4 days	93 (8.1%)
5 days	587 (51.1%)
.	228

Level of agreement to statement 'I can easily access opportunities to be physically active'

Strongly disagree	94 (8.3%)
Disagree	77 (6.8%)
Do not agree or disagree	229 (20.3%)
Agree	439 (38.9%)
Strongly agree	290 (25.7%)
.	248

Barrier to physical activity - Don't enjoy it

No	1139 (82.7%)
Yes	238 (17.3%)

Barrier to physical activity - Worried about being judged or made fun of

No	1168 (84.8%)
Yes	209 (15.2%)

Barrier to physical activity - Do not feel safe being active in neighborhood

No	1284 (93.2%)
Yes	93 (6.8%)

Barrier to physical activity - Do not know of any available PA opportunities

No	1267 (92.0%)
Yes	110 (8.0%)

Barrier to physical activity - Opportunities are not appealing

No	1214 (88.2%)
Yes	163 (11.8%)

Barrier to physical activity - No nearby spaces to engage in PA

No	1277 (92.7%)
Yes	100 (7.3%)

Barrier to physical activity - Does not apply

No	955 (69.4%)
Yes	422 (30.6%)

Been tested for HIV

Yes	158 (13.9%)
No	844 (74.0%)
Not Sure	138 (12.1%)
.	237

Whether participant has been told by doctor or nurse that they have HIV

Yes	16 (1.4%)
No	1101 (96.2%)
Not Sure	27 (2.4%)
.	233

Been tested for hepatitis C

Yes	112 (9.9%)
No	854 (75.4%)
Not Sure	166 (14.7%)
.	245

Whether participant has been told by doctor or nurse that they have hepatitis C

Yes	15 (1.3%)
No	1071 (94.6%)
Not Sure	46 (4.1%)
.	245

Been tested for STD's

Yes	147 (13.0%)
No	889 (78.6%)
Not Sure	95 (8.4%)
.	246

Whether participant has been told by doctor or nurse that they have an STD

Yes	23 (2.0%)
No	1085 (95.1%)
Not Sure	33 (2.9%)
.	236

Been taught about HIV infection/AIDS in school

Yes	871 (76.7%)
No	217 (19.1%)
Not Sure	47 (4.1%)
.	242

Been taught about hepatitis C in school

Yes	578 (51.0%)
No	423 (37.3%)
Not Sure	133 (11.7%)
.	243

Been taught about how to use condoms in school

Yes	769 (68.2%)
No	309 (27.4%)
Not Sure	50 (4.4%)
.	249

Been taught about birth control methods in school

Yes	768 (68.0%)
No	301 (26.6%)
Not Sure	61 (5.4%)
.	247

Number of times talking with parents or other adults about preventing STIs during past 12 months

Not at all	601 (54.3%)
About once	212 (19.2%)
About once every few months	176 (15.9%)
About once a month	57 (5.2%)
More than once a month	60 (5.4%)
.	271

Adult at school participant feels comfortable going to for help finding sexual health services

Yes	398 (36.0%)
No	511 (46.2%)
Not Sure	197 (17.8%)
.	271

Number of hours of sleep on average school night

4 hours or less	170 (15.1%)
5 hours	221 (19.6%)
6 hours	238 (21.1%)
7 hours	240 (21.3%)
8 hours	178 (15.8%)
9 hours	50 (4.4%)
10 hours or more	31 (2.7%)
.	249

Adult at school participant feels comfortable talking to about problem

Yes	715 (64.1%)
No	264 (23.7%)
Not Sure	137 (12.3%)
.	261

Adult at home participant feels comfortable talking to about things that are important

Yes	827 (74.8%)
No	183 (16.6%)
Not Sure	95 (8.6%)

. 272

Either parent serving active military duty

No	927 (84.3%)
Yes	172 (15.7%)

. 278

Perceived likelihood of completing some type of post high school education

Definitely will not	61 (5.6%)
Probably will not	72 (6.6%)
Probably will	307 (28.0%)
Definitely will	513 (46.8%)
Not sure	144 (13.1%)

. 280

Whether doctor or nurse has told participant that they have asthma

Yes	324 (29.2%)
No	715 (64.4%)
Not Sure	72 (6.5%)

. 266

Number of days missing school due to asthma during past 30 days

0 days	337 (84.9%)
1 day	16 (4.0%)
2 days	20 (5.0%)
3 days	9 (2.3%)
4 days	3 (0.8%)
5 or more days	12 (3.0%)

. 980

Number of times going to emergency room or urgent care due to asthma during past 12 months

0 times	334 (83.9%)
1 to 3 times	47 (11.8%)
4 to 9 times	6 (1.5%)
10 to 12 times	4 (1.0%)
13 or more times	7 (1.8%)

. 979

Participated in community garden program during past 12 months

Yes	124 (11.3%)
No	924 (84.0%)
Not Sure	52 (4.7%)
.	277

Frequency of participation in music related activities during past 12 months

Not at all	748 (68.2%)
Less than once a month	72 (6.6%)
At least once a month	53 (4.8%)
At least once a week	70 (6.4%)
Most or all days	153 (14.0%)
.	281

English or Spanish version of survey

English	1301 (94.5%)
Spanish	76 (5.5%)

Percentages are reported out of the total participants who responded to the question, not including missing. Missing represented by “.”